


PDF = 3



DECORCERA VITRIFIED TILES

Size : 396 x 396 MM



Stain Resistant

Sparkle Effect

Highly Durable

Suitable for Outdoor & Indoor Application

Suitable for Heavy Traffic Area

SANDSTONE

Outdoor Floor Tiles

- Stain Resistant
- Sparkle Effect
- Highly Durable
- Suitable for Outdoor & Indoor application
- Suitable for Heavy Traffic Area



GREY



MOOD



NERO



COCO



GRAPHITE



SANDSTONE

Outdoor Floor Tiles

- Stain Resistant
- Sparkle Effect
- Highly Durable
- Suitable for Outdoor & Indoor application
- Suitable for Heavy Traffic Area



CREMA



FUSION




BROWN



CHERRY



SNOW




SANDSTONE

Outdoor Floor Tiles

- Stain Resistant
- Sparkle Effect
- Highly Durable
- Suitable for Outdoor & Indoor application
- Suitable for Heavy Traffic Area



SILVER 




JET BLACK 



SAHARA 



CADBURY 






654 (HARMONY CREMA) 




656 (HARMONY BEIGE) 



655 (HARMONY COTTO) 



657 (HARMONY MOKA) 





302



309



311

RANDOM
DESIGN



313

RANDOM
DESIGN





326



327



330



331





351



354



376



378





404



406



407 



451



477



479





576



577



578



579



580





DROPS
EFFECT



661 (VOLCANO)



662 (RIVER STONE)



DROPS
EFFECT



827 (REFIN) NEW






626 (BRETON GREY)



627 (BRETON GRIGIO)




675 (RIO BIANCO) 



676 (RIO BEIGE) 





826 (MAHA RANDOM)





801



802




682 (ROYAL COTTO)





901

RANDORA
DESIGN



903

RANDORA
DESIGN



902

RANDORA
DESIGN



911 (COTTO DECOR)





961 (ARC BEIGE)




962 (ARC GREY)



981 (QUBIX BROWN) 



984 (QUBIX GREY) 





Garden
T·I·L·E



GR-1



GR-3



GR-2

Garden
T·I·L·E



GR-21



GR-25




GR-31





Garden
T·I·L·E



GR-41



GR-42

Garden
T·I·L·E



GR-61



GR-81



GR-101





201

RANDOM
DESIGN



203

RANDOM
DESIGN



268



208



216



223





224



246



227



231



228



242





236



243



245



238



248



250





283



263



281



282



287



288





284



286



297



267



292

RANDOM
DESIGN



294

RANDOM
DESIGN





MOROCCAN TILE



269



3D EFFECT



8001



8002





296



8025



8026



8028



8036



Leather Yellow-8051



Leather Brown-8052





101

RANDOM
DESIGN



107

RANDOM
DESIGN



109



113



114



115





130



131



137



138



139



140





144



141

RANDOM
DESIGN



143



149



150





3001



3003



3004



3006



3007



3008



3009



3013



3016



3022





3020



3023



3024



3032



3026



3027



3035



3036



3037



3038





4001



4003



4004



4006



4018



4024



1001



1002



1003



1004





2001



2002



2003



2004




2005



2008



Running Colour Series



Spacial Colour Series



Running Anti Skid Series



Spacial Anti Skid Series



Copper Cloudy Series




Technical Specification

Sr. No.	Particulars	Standard as per ISO 13006/EN 178 Group B1a	OUR VALUE	Method of Testing
1	Deviation in length	± 0.50 %	± 0.30 %	EN 98
2	Deviation in Thickness	± 5 %	± 3 %	EN 98
3	Straightness of Side	± 0.50 %	± 0.30 %	EN 98
4	Rectangularity	± 0.50 %	± 0.30 %	EN 98
5	Surface Flatness	± 0.50 %	± 0.30 %	EN 98
6	Water Absorption	< 6	< 6	ISO 10545.3 EN 98
7	Mohs Hardness	> 5	> 5	EN 101
8	Flexural Strength	> 35 N/Sq. mm	> 39 N/Sq. mm	—
9	Abrasion Resistance	As Specified by Manufacturer	PE 13	ISO 10545.6 EN 102
10	Frost Resistance	Frost proof	Frost proof	ISO 10545 - 11
11	Chemical Resistance	No damage	No damage	ISO 10545 - 18
12	Thermal Shock Resistance	No damage	No damage	ISO 10545 - 9
13	Color Resistance	No damage	No damage	—
14	Stain Resistance	Resistance	Stain Proof	ISO 10545 - 14
15	Moisture Expansion	Nil	Nil	ISO 10545 - 10
16	Cracking Resistance	Min 2 Cycle	Min 4 Cycle	—

Note: Colours shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to change the specifications without prior notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advise you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the have been fixed.

Packing Details (Domestic Market)					
Size	Product	Thickness	Piece/Box	Coverage Sq. Mt.	Weight
40 x 40cm	Ceramic Floor Tiles	8 - 8.5mm	5	0.78	13.0 Kg

Packing Details (Overseas Market)									
Size	Product	Piece/Box	Coverage Sq. Mt.	Weight	Box/Container	Sqm./Container	Box/Pallet	Sqm./Pallet	Pallet/Container
40 x 40cm	Ceramic Floor Tiles	5	0.784	13.0 Kg	2110	1654	100	78.4	21





ADDRESS

HEAD OFFICE:
W9/2, DLF CITY, PHASE - III,
GURGAON, HARYANA - 122002,

CONTACT US



+ 91 - 8285644444,



pm@decorcera.com



www.decorcera.com